# Garage Door

## SELECTION GUIDE

























The Genuine. The Original.



## Table of content:

Choosing a Door	3
Signature® Carriage Wood	4-5
Traditional Wood Collection	
Rail and stile wood garage doors	6-7
Flush panel wood garage doors	8-9
Modern Aluminum Collection	10-11
Impression Collection®	12-13
Carriage House Collection	14-15
Courtyard Collection®	16-17
Thermacore® Collection	18-19
Durafirm Collection™	20-21
Traditional Steel Collection	22-23
WindStorm™ wind load-rated system	24-25
DoorView <sup>™</sup> and other online resources	26
Windows for Signature® Carriage Wood	27
Windows for Thermacore® Collection	28
Windows for Traditional Steel Collection	29
Hardware	30
Openers	31

Call 1-800-929-3667 (DOOR) to contact an Overhead Door Distributor near you.

www.OverheadDoor.com

# Choosing a Door

What to consider when selecting a door



## Style

Whether your home is classic or contemporary, Overhead Door offers styles to best complement your home's architecture. For a distinctive, custom look, choose insulated doors from our elegant Courtyard Collection®, Thermacore® Collection, Impression Collection® or the custom fine wood doors of the Signature® Carriage Collection.

## Safety

Our Impression Collection® doors provide peace of mind with pinch-resistant panels that help protect fingers. If you live in an area that is prone to high winds, our Wind-Storm™ doors provide reliable protection against high wind damage and offer fine craftsmanship, durability and style.

## Comfort

If you live in a climate with extreme hot or cold temperatures, we recommend a well-insulated, thermally-efficient door to ensure your comfort. Some of our insulated doors, including the Courtyard Collection® and Thermacore® Collection, also feature a steel backing that lends a finished, clean look to your garage's interior.

# Signature® Carriage Wood

## Premium wood garage doors

Signature® Carriage Wood doors combine the classic swingopen appearance and detailing of carriage house wood doors with the convenience of sectional garage doors.

## Panel style

Doors provided in unfinished, stain-grade or paint-grade wood. Models are available with or without windows and with square or arched tops. Square tops are shown.

## Parson Collection

Drake	Drake	Kingston	Kingston	Holden	Holden
Narrow	Wide	Narrow	Wide	Narrow	Wide
(570 DN)	(570 DW)	(571 N)	(571 W)	(581 N)	(581 W)












## Villa Madre Collection





## Wood options

Contact your Overhead Door Distributor for specific information.

## Window style

For the full selection of windows please see page 29.

## Decorative hardware

For specific hardware details please see page 30.



Multiple designs and wood species options let you choose the perfect complement to your home with our style, window and glass options.



**World class construction** of rail and stile frame adds strength.

Polystyrene insulation can help diminish street noise and provide quieter door operation. R-value\* of 4.75 available for select models.

\*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

## Full custom door

Design your own beautiful wood garage door built to match the architectural style of your home.




# Traditional Wood Collection


## Rail and stile wood garage doors

Traditional Wood rail and stile garage doors deliver timeless elegance. The traditional look of rail and stile wood doors adds richness, depth and lasting design.

## Panel style

## Framed panel designs








Single car design shown. Both panels are also available for double car designs.


Single car design


## Raised panel designs











Solid arched top is optional.

# Window style

## Framed panel windows







Cathedral\*

# Plain long panel True Divided 4 over 4







\*Molded designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.

## Raised panel windows













Clear glass comes standard with this product. Additional glass options are available, including 1/8"

Stockton

\*Optional molded designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.

## Glass type



tempered and 1/8" double strength (DSB). Contact your local Overhead Door Distributor for more details.

Clear Double Strength (DSB)







- 1. Door sections are constructed of 1-3/8" thick finger-jointed wood rails and stiles; with solid stain-grade rails and stiles as an option
- 2. Raised panels are constructed of 3/4" solid wood; edge-glued panels
- 1. Door sections are constructed of 1-3/8" high quality West Coast Hemlock
- 2. Center panels are constructed of durable, ¼" exterior-grade hardboard
- 3. Mortise and tenon joints are glued and steel-pinned for increased strength and durability
- **4. Shiplap section design** provides weather-tight fit and smooth operation

Rust resistant track and hardware are constructed of hot-dipped galvanized steel.

Model 450 Framed Panel	Model 453 Framed Panel	Model 454 Raised Panel (Paint grade)	Model 454 Raised Panel (Stain grade)
	-		415
Thin rails & stiles	Thick rails & stiles	Features hemlock panels (finger-joint- ed), stiles and rails	Features hemlock panels (solid, one piece), stiles and rails
Kiln-dried West Coast Hemlock	Kiln-dried West Coast Hemlock	Hardboard raised panel (decatrim)	Mahogany and Cedar panel options available

Model 450 and 453 panels pictured above are custom painted.

# Traditional Wood Collection


## Flush panel wood garage doors

Traditional Wood flush panel garage doors offer modern simplicity. The smoothness of the flush panel design suits a variety of architectural styles, from traditional to modern. For a contemporary or minimalist look, the flush panel garage doors are an ideal fit.

## Panel style

# Single car

## Double car



Model 440 Smooth hardboard, custom paint finish



Model 444 Solid arched top Smooth plywood, is optional.





All model panels have a total thickness of 1-3/8".

## Window style













Framed Sunray\*

\*Designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.


## Glass type



Clear Double Strength (DSB)

Clear glass comes standard with this product. Additional glass options are available, including 1/8" tempered and 1/8" double strength (DSB). Contact your local Overhead Door Distributor for more details





Up to a limited 1-year warranty

- 1. Section thickness is 1-3/8" on all models
- 2. Polystyrene insulated core provides a 4.75 R-Value\* (available on select models)
- **3. External panels** are pressure-bonded to framework with high-strength, waterproof adhesive
- 4. Primed painted finish available option on all models

Rust resistant track and hardware are constructed of hot-dipped galvanized steel.

 $\ensuremath{^{\star}}\xspace \ensuremath{\text{Overhead}}$  Door Corporation uses a calculated door section R-value for our insulated doors.

	Model 440	Model 444
Exterior wood/finish	Primed smooth hardboard	Smooth plywood; priming option available; stained grade
Interior	Smooth hardboard	Smooth plywood
Insulation	4.75 R-Value, polystyrene	4.75 R-Value, polystyrene

# Modern Aluminum Collection

## Sleek, sophisticated garage doors

The Modern Aluminum Collection combines glass and aluminum for unparalleled visual appeal, strength and light infiltration. It's a unique solution for your extraordinary home.

## Frame option

## Model 511 Standard frame

511 Series frame features a narrow width and offers an array of frame finishes and special custom options in door sizes up to 16'0" wide.

## Model 521 Heavy duty frame

521 Series frame features a wider, heavy-duty frame and it offers an array of frame finishes and special custom options in door sizes up to 26' wide. The 521 Series can also be fitted to meet wind load building requirements.



Model 511



Model 521

## Glass type

Double Strength (DSB) glass comes standard. In addition we offer an array of choices to complement your home. Insulated glass available.



Double Strength (DSB) \*



Obscure\*



Satin Etched\*

## **Specialty Glass**

- Laminated White
- Low E Glass\*
- Tempered Glass
- Tinted Glass\*

## Glass alternatives

- Clear Lexan<sup>®</sup> Polycarbonate\*
- Multi-wall Polycarbonate
- Plexiglas<sup>®</sup> Acrylic\*

## Color

## **Anodized finishes**

Clear anodized finish comes standard. Dark bronze and black anodized finishes are also available. To add further distinction, solid aluminum panels are available.



Clear



Dark Bronze



Black

## Powder coat finishes

Select from 197 color options to best match your home.



<sup>\*</sup> Insulated options available



## Between section seals

Offer additional weather-resistance.

## Commercial-grade aluminum frame

Low-maintenance and corrosion resistant.

## Design flexibility

Available in a variety of vertical rail widths and horizontal stile widths to complement the style of your home.

## Stylish hardware

Hinges and fixtures are galvanized to maintain a contemporary look.






# Impression Collection®

## Beautiful exterior. Durable interior.

Impression Collection® doors have been magnificently engineered with an artfully molded wood grain fiberglass surface concealing durable steel construction. This door's unique fiberglass exterior offers you a low maintenance option with the beauty of wood to enhance the curb appeal of your home.

## Panel style

Three-section styling on 7' high doors gives a custom design look. Our 8' high doors have four-section styling. All panels have white finished interiors with matching, low-profile hinges. 7' high doors shown below.



## Color

Stain colors shown below on oak wood grain pattern. Actual door colors may vary slightly from brochure photos due to fluctuations in



<sup>\*</sup>Colors may vary slightly from these shown and may not be available on all individual series.

## Window style

Insulated windows are available.



For Vertical Raised panel

20 Window



16 Window

For specific hardware details please see page 30.

## Decorative hardware

12 Window



## Foamed-in-place polyurethane insulation

R-value\* of 7.6 helps control costly heat loss and gain. This type of insulation can diminish street noise and provides for quieter door operation.

Designed with award-winning safety and technology features including pinch-resistant door panels.

## Bulb-type bottom weatherseal

Guards against wind and rain while providing a cushion when closing.



# Fiberglass exterior utilizes Therma-Tru™ AccuGrain™ technology for the beauty of wood

\*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

without the maintenance.



Factory installed powder-coated hardware ensures proper alignment and smoother operation with a clean interior appearance.



Up to a limited lifetime warranty on steel backing



Up to a limited 3-year warranty on fiberglass exterior



# Carriage House Collection

## Design, thermal performance and durability

The look of wood carriage style swing doors with varied design options, thermal performance and the durability of steel.

## Panel style

Three-section styling on 7' high doors (shown below) gives a custom design look. Our 8' high doors have four-section styling. Models are available with or without windows and with square or arched tops. 7' high doors with square tops are shown.















## Finishes

Actual door colors may vary slightly from brochure photos due to fluctuations in staining or the printing process.

## Painted finishes









White color is standard. All other colors are an optional upgrade.

Two-toned painted finishes







The trim boards are white (standard).

## Stained finishes











Mahogany







Oak

Gray

Honduran Mahogany

duran Red Oak ogany

## Decorative hardware

For specific hardware details please see page 30.



## Durable finish

Hot-dipped galvanized steel with two coats of baked-on polyester paint.



8 Window Square

16 Window Square

8 Window Arched

16 Window Arched



Polyurethane insulation Provides thermal efficiency with an R-value\* of 10.



**Bulb seal** Protects against the elements.



**Embossed** wood grain texture Adds beauty, sophistication and durability.

\*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

## Window style

Arched windows are also available.



- 1 Plain Window Square
- 2 Plain Window Square
- 12 Window Square
- 2 24 Window Square
  - Plain Window Arched
- 2 Plain Window Arched
- 2 24 Window Arched
- 1 12 Window Arched

- 6 Window Square 12 Window Square



16 Window Square 32 Window Square



12 Window Arched





- 16 Window Arched
- 32 Window Arched
- 1 Windows for single car doors. 2 - Windows for double car doors.

Option of single or double arch for double car doors. Models are also available in solid arched top panels (no windows).

# Courtyard Collection®

## Custom steel garage doors

Our Courtyard Collection® doors give you the beauty of wood with the durability of steel.


## Panel style

Tier 1 models









166B

166E<sup>†</sup>

375B/165B

Tier 2 models











†Windows and arches not available.

Tier 3 models











## Color

Actual door colors may vary slightly from brochure photos due to fluctuations in printing process.



## Window style





Stockbridge

Insulated windows are available.



Stockton atti ilba



Wyndbridge Arch

## Decorative hardware

For specific hardware details please see page 30.



## Thermacore® insulation

Foamed-in-place, CFC-free polyurethane insulation with Thermacore® construction provides an R-value of up to 12.76 and U-factor up to 0.24.





# In-between-section thermal seals

With an air infiltration rating as low as .08 cfm, these seals help to provide superior resistance to the elements.



## Weather resistant

Wood grain textured trim boards are resistant to dents and the elements.

<sup>4</sup> R-value: The higher the R-value, the greater the insulating properties.

<sup>5</sup> U-factor: A tested value of actual energy loss of an installed door, wall, or window assembly.

	370 Series	160 Series
Wood grain trim	•	•
Color matched trim		•
Warranty	20-year limited	Limited lifetime
Polyurethane insulation	•	•
R-value⁴	9.3	12.76
U-factor⁵	0.24	0.24
Overlay thickness	3/8"	3/4"
Door thickness	1"	1 %"
Commercial track	optional	•
Residential track	•	
Ball bearing rollers with nylon wheels	•	•

# Thermacore® Collection

## Premium insulated garage doors

For premium construction and maximum thermal efficiency, Thermacore® Collection insulated steel doors are the ideal choice.

## Panel style

Our Thermacore® doors feature wood grain embossment to enhance the appearance of your door. Doors are available in 7' or 8' height.

# Models 297, 194, 494 Standard (S) V5 (V) 295, 198, 496 Long (L) Flush (F)

## Color

Colors may vary slightly from these shown and may not be available on all models. To custom paint your door, see painting instructions in the owner's manual.



- \*Available in 190 Series only.
- \*\*Available in 190 and 490 Series only.
- \*\*\*Available in 194, 198 and 199 Models only.

## Window style

For the full selection of windows for Thermacore® Collection doors please see page 28.

## **Decorative hardware**

For specific hardware details please see page 30.



## Thermacore® construction

Provides a continuous layer of foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosion-resistant steel, for maximum thermal efficiency.



## Embossed wood grain texture

Adds beauty, sophistication and durability.

## In-between section thermal seals

With an air infiltration rating of up to 0.08 cfm, these seals help to provide superior resistance to the elements.



Durable finish Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Bulb-type bottom weatherseal Guards against wind and rain while providing a cushion when closing.

Series	Thickness	Polyurethane insulation	R- value³	U-factor <sup>4</sup>	Steel backing <sup>5</sup>	Warranty
290	1″	•	9.31	0.24	•	20-year limited
190	1 3/8"	•	12.76	0.24	•	Limited lifetime
490	2"	•	17.5	0.16	•	Limited lifetime

<sup>&</sup>lt;sup>3</sup> R-value: The higher the R-value, the greater the insulating properties.

<sup>&</sup>lt;sup>4</sup> U-factor: A tested value of actual energy loss of an installed door, wall, or window assembly.

<sup>&</sup>lt;sup>5</sup> Backing: Steel – Interior-side steel backing for strength and finished appearance.

# Durafirm Collection<sup>™</sup>

## Rugged garage doors

With their rugged, thick vinyl skin, Durafirm Collection® 870 Series doors provide incredible strength and durability.

## Panel style

Doors are available in 7' or 8' height. Shown in 7'.

## Model 870

Standard (S)





## Model 872

V5 (V)





## Color

Doors are available in four standard colors.



Glacier White





Cape Cod Gray



Monterey Sand



Adobe Cream

## Window style

Insulated windows are available.



Clear



Cathedral









Sunburst 8

## Glass type



Clear Double Strength (DSB)



Obscure



Satin Etched

## Decorative hardware

For specific hardware details please see page 30.



## Bonded steel, polyurethane and vinyl

They provide incredible strength, impressive sound absorption and energy efficiency with an R-value\* of up to 11.75.



## Deep raised panels

Rich wood grain texture for the timeless look of freshly painted hardwood. Available in standard panel style only.

## Through-and-through color PVC construction

The color goes all the way through the exterior vinyl skin so scratches are minimized.

## **UV-resistant resin**

Contains special polymers that protect your door from the sun's harmful ultraviolet rays.

## Twin structural struts

22-gauge steel C-channels run the full length of each panel and are anchored to interior steel stiles for strength.

\*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.



# Traditional Steel Collection

## Essential garage doors

Our Traditional Steel Collection garage doors offer three model options to choose from, each uniquely designed to provide lasting performance and durability.

## Panel style

Our Traditional Steel Collection doors feature a simulated wood grain embossment to enhance the appearance of your door. Choose from standard, long or V5 panel

## Models 170/173/180/183 Standard (S)





Model 391 Standard (S)



## Models 171/174/181/184 Long (L)





## Model 399



## Models 175/176/185/186

V5 (V)\*

(.,	



\*Uses Standard panel (SP) windows.

## Color

All doors are available in the colors shown or can be painted to match your home's décor.\*\*











White

Almond

Desert Tan

Taupe/ Sandstone<sup>†</sup>

Brown

## Window style

For the full selection of windows for Traditional Steel doors please see page 29.

## Decorative hardware

For specific hardware details please see page 30.

<sup>\*\*</sup>Colors may vary slightly from these shown and may not be available on all individual models. See painting instructions for details.

<sup>†</sup>Called sandstone on Models 391 and 399.



# Embossed wood grain texture Adds beauty, sophistication and durability.



## Reinforced door construction

For maximum strength, durability and minimal weight.



**Durable finish**Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Bulb-type bottom weatherseal Guards against wind and rain while providing a cushion when closing.

Models	Thickness	Polystyrene insulation <sup>4</sup>	R-value⁵	Heavy- duty steel <sup>6</sup>	Backing <sup>7</sup>	Warranty
170 S 171 L 175 V	2"					15-year limited
173 S 174 L 176 V	2"			•		Limited lifetime
180 S 181 L 185 V	2"	•	7.4		Vinyl	20-year limited
183 S 184 L 186 V	2"	•	7.4	•	Vinyl	Limited lifetime
391 S 399 L	2"	•	9.8		Steel	Limited lifetime
C C.	1 1 1	1 1	1 1/ 1/			

## S - Standard panel, L - Long panel, V - V5 panel

- 4 Polystyrene insulation: Refers to insulation for improved energy efficiency and sound reduction.
- <sup>5</sup> R-value: The higher the R-value, the greater the insulating properties.
- 6 Heavy-duty steel: A thicker, more durable and dent-resistant option, designed to withstand additional knocks and bumps from outdoor activity.

Backing: Vinyl – For a clean, more finished look and added sound absorption.
Steel – Interior-side steel backing for strength and finished appearance.

# $WindStorm^{\text{\tiny TM}}$

## Wind load-rated system for garage doors

## Reliable protection against high winds and wind-borne debris

As the largest point of entry, your garage door offers the largest opportunity for high-pressure destruction. That's why when high winds hit, a reinforced garage door is one of your home's – and your family's – most important safeguards against nature's fury. Only WindStorm™ rated doors from Overhead Door not only provide reliable protection against high wind damage, but also deliver door products that feature fine craftsmanship, trouble-free performance, lasting durability and eyecatching curb appeal.



Traditional Thermacore®
Steel Collection
Collection

	Approval	agencies /
International Building Code (IBC) & International Residential Code (IRC)	•	•
Florida Building Code (FBC)	•	•
Florida Building Code (FBC) — Impact Rated	•	•
Texas Department of Insurance (TDI)	•	
Texas Department of Insurance (TDI) — Impact Rated	•	
Miami-Dade County	•	



## Designed for strength and stability

- Stringently tested to meet wind load and requirements\*
- Optional impact rating on select door models
- Reinforced hardware throughout door
- Additional horizontal bracing for further reinforcement
- Optional impact rated glass for additional safety and protection
- Insulated door system designs provide energy efficiencies
- Various door system designs to meet door size requirements, wind zone, exposure categories as well as aesthetics

\*Refer to wind load design standards chart below for door model and applicable code requirements. Wind load and impact resistance requirements vary by region. Please contact your local Overhead Door Distributor for more information.

Courtyard Collection®	House Collection	Collection®	Collection®	Aluminum Collection	
building codes					
•	•	•	•	•	•
•	•	•	•	•	
•					
	•		•		

# $Door View^{\text{\tiny TM}}$

## Online resources

When selecting a garage door there are several factors you may want to consider. We have provided a series of Garage Door Selection Videos to assist you in choosing the right door for your home. Visit us at overheaddoor.com or at our YouTube channel, youtube.com/overheaddoorcorp to view our videos.



Price Considerations

## http://www.youtube.com/OverheadDoorCorp



# Transform Your Home with the DoorView® visualization tool.

Go to **overheaddoor.renoworks.com** to try our on-line interactive software tool that lets you visualize what your home would look like with a garage door from Overhead Door. Contact your local Overhead Door Distributor for more information and to receive a quote.





# Windows

## Signature Carriage® Wood

# Available on Available on Single Door **Double Door** 3PS- Three Pane Square Top 3PS- Three Pane Square Top Three Pane Arched Top 3PA- Three Pane Arched Top 4PS- Four Pane Square Top 4PS- Four Pane Square Top 4PA- Four Pane Arched Top 4PA- Four Pane Arched Top 6PS- Three over Three Square Top 6PS- Three over Three Square Top 6PA- Three over Three Arched Top 6PA- Three over Three Arched Top 8PS- Four over Four Square Top 8PS- Four over Four Square Top 8PA- Four over Four Arched Top 8PA- Four over Four Arched Top 2PS- Two Pane Square Top 2PS- Two Pane Square Top 2PA- Two Pane Arched Top 2PA- Two Pane Arched Top 22S- Two over Two Square Top 22S- Two over Two Square Top 22A- Two over Two Arched Top Six over Six Pane Square Top 12S- Six over Six Pane Square Top


12A- Six over Six Pane Arched Top 12A- Six over Six Pane Arched Top

Double door - double arched windows are available on some models. Not all window options available for all models. Consult your Overhead Door Distributor for additional options that may be available.

# Windows

## Thermacore® Collection

## Available on Standard, Flush and V5 panels



Williamsburg 2 (4 pc)

Waterton 2

Williamsburg 2

all lin

Wyndbridge 2

# Windows

## Traditional Steel Collection

## Available on Standard panel and V5 panel







Clear Short

Ashton 1

Cascade 1

Cathedral 1

Madison 1

Prairie 1 (170/180 only)

SIN

Ruston 1

Sherwood 1

Stockbridge 1 (170/180 only)

 $\Diamond \Diamond \Diamond \Diamond \Diamond$ 

Stockford 1

Stockton 1

Waterton 1







Williamsburg 1 (4 pc)

Williamsburg 1 (8 pc)



Winston 1

## Available on Long panel

Long panel window option and trim not available on Model 391.





Ashton 2\*








Series only

Prairie 2 170/180 Series only

Ruston 2



Sherwood 2








Stockbridge 2 (3-Lite)





Stockton 2 (4-Lite) 170/180 Series only 170/180 Series only







Waterton 2

Williamsburg 2 (2 piece)

Wyndbridge 2\*



Williamsburg 2 (4 piece)

<sup>\*</sup>Limited availability depending on door size.

# Hardware

## Accents for style

## Decorative hardware

Further individualize your garage door with our distinctive decorative exterior handles and hinges. Available as optional accessories on our door collections. Not all hardware will fit all door sizes. Consult your local distributor for more information.

## **Premium Collection**



## Value Collection



# **Openers**

## Designed for performance



## Destiny® 1500 screw drive The ultimate in power, speed and convenience

- 1¼ HPc\*\*\*\* motor operates almost any garage door quickly and smoothly
- Opening speed of 12 inches per second
- Door Detect™ monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system



## Odyssey® 1200 screw drive

- More power, speed and convenience 1 HPc\*\*\* motor operates almost and
- garage door quickly and smoothly Opening speed of 10 inches per second
- Door Detect<sup>™</sup> monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system



## Destiny® 1200 belt or chain drive

- Power, speed and convenience 1 HPc\*\*\* motor operates almost any
- garage door quickly and smoothly
- Opening speed of 9 inches per second Door Detect™ monitoring system
- improves overall safety Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system



## Odyssey® 1000 belt or chain drive Power and speed

- 3/4 HPc\*\* motor operates almost any garage door quickly and smoothly
- Opening speed of 7.5 inches per second
- Door Detect<sup>™</sup> monitoring system improves overall safety
- Soft start and soft stop for less wear and tear on door system



## Legacy® 850 belt or chain

- Durable performance, quiet and flexibility 1/2 HPc<sup>††</sup> Power Plus motor
- DC motor for quiet operation
- Belt or chain drive



## Standard Drive® 650 belt or chain Durable performance, quiet and flexibility

- 1/2 HPc<sup>†</sup> motor
- DC motor and C-channel rail for quiet operation
- Belt or chain drive

<sup>1/2</sup> Horsepower comparable (HPc) designates that this garage door opener meets Overhead Door's lifting force specifications for 1/2 horsepower garage door openers.
1/2 Horsepower comparable (HPc) PowerPlus designates that this garage door opener exceeds Overhead Door's lifting force specifications for 1/2 horsepower garage door openers


4/4 Horsepower comparable (HPc) designates that this garage door opener meets Overhead Door's lifting force specifications for 4/4 HP garage door openers.

1/2 Horsepower comparable (HPc) designates that this garage door opener meets Overhead Door's lifting force specifications for 1 HP garage door openers.

1/2 Horsepower comparable (HPc) designates that this garage door openers.

1/2 Horsepower comparable (HPc) designates that this garage door openers.

## Nationwide distributor network













## The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067 1-800-929-DOOR • sales@overheaddoor.com www.OverheadDoor.com

©2014 Overhead Door Corporation. Overhead Door and the Ribbon logo are registered trademarks of @2014 Overhead Door Corporation. Overhead Door and the kilobon logo are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvements, we reserve the right to change product specification without notice or obligations. R900-231

SOLD AND DISTRIBUTED BY: